

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows:

Claim 1. (Currently Amended) A system for providing communication device location information, comprising:

a first communication device;

a second communication device;

a communication network configured to interconnect said first communication device[,] and said second communication device; and

a location service center node connected to said communication network and configured to receive a request for location related information from a requesting one of said first and second communication devices regarding either one of said first and second communication devices, configured to validate that said request is permissible and configured to deliver said location related information to said requesting one of said first and second communication devices.

Claim 2. (Previously Presented) The system of Claim 1, wherein said validation request is made by a subscriber to a location determining service.

Claim 3. (Previously Presented) The system of Claim 1, wherein said validation request is made by a network node.

Claim 4. (Previously Presented) The system of Claim 1, wherein said communication network comprises a plurality of communication networks.

Claim 5. (Previously Presented) The system of Claim 4, wherein said first communication device is associated with a first network and said second one of said first and second communication devices is associated with any one of said plurality of communication networks.

Claim 6. (Previously Presented) The system of Claim 1, wherein said location service center node is in communication with a location determining entity separate from said first and second communication devices.

Claim 7. (Original) The system of Claim 1, wherein said second one of said first and second communication devices comprises a wireless telephone.

Cancel Claims 8 – 31.

Cancel Claims 46 – 49.

Claim 50. (Previously Presented) A method for providing location caller identification information comprising:

initiating a call from a first communication device to a second communication device through a communication network;

determining a location of said first communication device by a location service network node in communication with said communication network responsive to said initiating; and

delivering a call set up signal to said second communication device, said call set up signal including the location of the first communication device.

Claim 51. (Previously Presented) A method in accordance with claim 50 further including:

verifying that said second communication device is authorized to receive the location of the first communication device.

Claim 52. (Previously Presented) A method in accordance with claim 50 further comprising:

determining a location of said second communication device at a location service network node responsive to said initiating; and

delivering the location of the second communication device to the first communication device.

Claim 53. (Previously Presented) A method in accordance with claim 52 further comprising:

verifying that said first communication device is authorized to receive the location of the second communication device.

Claim 54. (Previously Presented) A method in accordance with claim 50 wherein determining a location of said first communication device comprises:

contacting a location determining entity associated with said communication network.

Claim 55. (Previously Presented) A method in accordance with claim 54 wherein determining a location of said first communication device comprises:

contacting a plurality of location determining entities.

Claim 56. (Previously Presented) A method in accordance with claim 54 wherein determining a location of said first communication device comprises:

contacting an automatic location information (ALI) database.

Claim 57. (Previously Presented) A method in accordance with claim 54 wherein determining a location of said first communication device comprises:

contacting a mobile positioning center.

Claim 58. (Previously Presented) A method in accordance with claim 54 wherein determining a location of said first communication device comprises:

contacting a VoIP positioning center.

Claim 59. (Previously Presented) A method in accordance with claim 54 wherein determining a location of said first communication device comprising:

determining the location of the first communication device at the time the call is initiated.

Claim 60. (Previously Presented) A method in accordance with claim 50 wherein said communication network comprises a plurality of communication networks and wherein said first communication device and said location service node are in communication with a first of said plurality of communication networks and said second communication device is in communication with a second of said plurality of communication networks, the method further comprising:

delivering the location of the first communication device to the second communication network.

Claim 61. (Previously Presented) A method in accordance with claim 60 wherein a further location node is in communication with said second communication network, the method further comprising:

determining a location of said second communication device at said further location node responsive to said call initiation; and

delivering the location of the second communication device to the first communication device via said first communication network.